Roanoke, Twon of (Roanoke Methodist Protestant Church, Parsonage) Roanoke Lewis County West Virginia HABS No. WV-209-B

HABS WVA 21-ROAN 3-

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

HISTORIC AMERICAN BUILDINGS SURVEY
MID-ATLANTIC REGION NATIONAL PARK SERVICE
DEPARTMENT OF THE INTERIOR
PHIEADELPHIA, PENNSYLVANIA 19106

HISTORIC AMERICAN BUILDINGS SURVEY

ROANOKE, TOWN OF HABS No. WV-209-B (Roanoke Methodist Protestant Church, Parsonage)

Location: Roanoke, West Virginia.

Elevation: ca. 1060'.

UTM References as given on the National Register of Historic Places Nomination form:

Zone: 17

Easting: 543900 Northing: 4309110

U.S.G.S. Map: Roanoke, West Virginia, 7.5' (1966 edition, photo revised 1979).

Present Owner (i.e., 1981): Trustees of the Methodist Protestant Church.

For historical information, see ROANOKE METHODIST PROTESTANT CHURCH HABS No. WV-209-A.

For project information and bibliography, see ROANOKE HABS No. WV-209. For other structures in the Roanoke area, see HABS No.s WV-209-A -S.

The report from which this HABS documentation was prepared, along with field notes and over 90 hours of interview tapes, will be archived at the University of West Virginia, Morgantown, West Virginia.

ARCHITECTURAL INFORMATION:

General Description: The Roanoke Methodist Protestant Church parsonage is a one story three bay rectangular frame (German cove siding) bungalow style structure (Kniffen 1936; Newton 1971) with a medium-pitch gable roof and hipped roof porches at the front and rear.

Exterior Description:

Overall Dimensions: 25'2 1/2" x 36'1".

Foundation: This is composed of 7" x 8" concrete piers; six piers stand along the northeast and southwest sides, and five piers occur along the northwest and southeast sides. Board skirting covered by a rolled asphalt material scored to simulate random-coursed stone covers the area between the sill and the ground; board access doors exist in the skirting at both ends of the northeast and southwest sides of the structure.

Walls: The walls are composed of 5 1/4" German cove siding with corner boards; the siding and corner boards are painted white.

Framing: This is composed of 1 3/4" x 3 3/4" stud walls on 14 1/2" centers.

Porch: An 82" wide x 22'5" long porch extends across nearly the entire southeast facade of the dwelling; the deck, which is raised above the ground approximately 2', is supported on wood joists by four evenly-spaced 7" x 8" concrete piers and consists of 3 1/2"-4 1/4" tongue and groove boards which are painted medium gray. A hipped roof supported by four unevenly spaced 3 1/2" diameter iron four unpainted wooden steps 50 1/2" wide x 10" tread. Risers measure 6 1/2" except for the first step which has a 3 1/2" rise.

There is also a 3/4" rise from the top step to the porch deck. Eaves and raking trim on the porch consist of open verges.

A rear porch centered opposite the offset doorway in the northwest elevation measures 6' wide x 15'6" long, and the deck is raised 24" above the ground.

The deck rests on three evenly-spaced piers built of three 8" concrete blocks stacked horizontally and is composed of 5 1/4"-5 3/4" boards which are painted medium gray. The hipped roof is covered with corrugated sheet metal; it is supported on the northeast end and in the middle by two 2" x 4" columns. On the southwest end, the roof is nailed into the wall of the cellar house.

Steps at both the northeast

and southwest ends of the porch provide access to it; on the northeast side, the open riser stairway consists of three steps that measure 44" in width x 9 1/2" tread x 7" rise plus a riser of 6". On the southwest side, the stairway consists of two steps 37" wide x 9 1/2" tread x 9 1/2" rise plus a 6" riser; the steps are made from solid wooden blocks.

Chimneys: A brick chimney with a belt course is centered on the roof peak.

Roof: The roof is a medium-pitch gable variety built with 2" x 6" rafters on 2' centers without a ridgeboard.

It is covered with corrugated sheet metal; eaves trim consists of open verges with a frieze board below; raking trim consists of a fascia board and brackets at the corners.

Interior Description: Room 1 (Room numbers are keyed to floor plan on page 20)

unction: Unknown.

Dimensions: 11'10" x 14'5"; 9'2" ceiling. Wallcovering: plaster; painted yellow.

Floorco vering: 9" tile blocks. Ceiling: plaster; painted white.

TABLE

Tract 1507 (parsonage): Door Details

Room to	Position	Opening	Style	Hinge	Latch/Lock	Interior Surround Trim	Exterior Surround Trim	Threshold
28" x 67 1/2" passageway — — 4 1/2" mold 4 1/2" mold 4 1/2" mold 28" x 68 1/2" 5 panel 3" pln butt — 4 1/2" mold 4 1/2" mold 4 1/2" mold 28" x 69" x 68 1/2" door missing 3" butt — 4 1/2" mold 4 1/2" mold 28" x 68 1/2" 5 panel 3" pln butt metal knobs 4 1/2" mold 4 1/2" mold 28" x 68 1/4" door missing 3" butt — 4 1/2" mold 4 1/2" mold 28" x 68 1/4" door missing 3" butt — 4 1/2" mold 4 1/2" mold 28" x 68 1/4" 4 panel; top 3 1/2" pln butt metal knobs; 4 1/2" mold 4 1/2" mold 28" x 68 3/4" 5 panel 3" pln butt mortise lock; 4 1/2" mold 4 1/2" mold 28" x 69 1/4" 5 panel 3" pin butt mortise lock; 4 1/2" mold 4 1/2" mold 111 1/2" x 68 1/4" 5 panel 3" pin butt mortise lock; 4 1/2" mold 4 1/2" mold 111 1/2" x 68 1/4" 5 panel 3" pin butt	Room 1 to Exterior	31/4" x 6'8"	4 panel; top panel glass (Pigure 76)	t" butt	mortise lock; one porcelain and one brass knob; sliding bolt; rim lock dead	4 1/2" mold bolt	4 1/2" plain boards	yes
28" x 6'8 1/2" 5 panel 3" pln butt (modern) metal knobs 4 1/2" mold 4 1/2" mold 4 1/2" mold 28" x 6'8 1/2" door missing (previously) 3" butt ——————————————————————————————————	Room 1 to Room 2	2'8" × 6'7 1/2"	passageway		ł	4 1/2" mold	# 1/2" mold	٤
2.8" x 6'8" 1/2" door missing (previously) 3" butt (previously) — 4 1/2" mold (p 1/2" mold (p 1/2" mold (previously)) — 4 1/2" mold (p 1/2	Room 1 to Room 8	2'8" × 6'8 1/2"	5 panel	3" pln butt (modern)	mortise lock; metal knobs	4 1/2" mold	t 1/2" mold	٤
2'8" x 6'8 1/2" 5 panel (Figure 72) 3" pln butt (modern) mottise lock; previously) 4 1/2" mold (modern) 4 1/2" mold (modern) 4 1/2" mold (modern) 2'11 3/4" x 6'8 1/2" 4 panel; top pa	Room 2 to	2'8" × 6'9"	door missing	3" butt (previously)	ı	4 1/2" mold	4 1/2" mold	٤
2'8" x 6'8 1/4" door missing (previously) 3" butt (previously) — 4 1/2" mold (previously) 4 1/2" mold (previously) — 4 1/2" mold (previously) 2'11 3/4" x 6'8 1/2" 4 panel; top panel glass 3 1/2" pln butt mortise lock; plain (previously) 4 1/2" mold (previously) 4 1/2" mold (previously) 2'8" x 6'8" x 6'8 3/4" 5 panel glass 3" pln butt mortise lock; phain metal knobs (modern) 2" plain phain (previously) 4 1/2" mold (previously) 2'8" x 6'8 1/4" 5 panel (modern) 3" pin butt mortise lock; phain (previously) 4 1/2" mold (previously) 1'11 1/2" x 6'8 1/4" 5 panel (previously) 3" pin butt mortise lock; previously (previously) 4 1/2" mold (previously)	Room 2 to		5 panel (Figure 72)	3" pin butt (modern)	mortise lock; metal knobs	4 1/2" mold	4 1/2" mold	٤
2*11 3/4" x 6*8 1/2" passageway — t 1/2" mold t 1/2" mold t 1/2" mold 2*8" x 6*8" 4 panel; top panel glass 3 1/2" pln butt mortise lock; sliding bolt t 1/2" mold t 1/2" mold boards 2*8" x 6*8 3/4" 5 panel 3" pln butt mortise lock; poards 2" plain butt mortise lock; poards t 1/2" mold t 1/2" mold t 1/2" mold 1*11 1/2" x 6*8 1/4" 5 panel 3" pin butt mortise lock; poards t 1/2" mold t 1/2" mold 1*11 1/2" x 6*8 1/4" 5 panel 3" pin butt mortise lock; poards t 1/2" mold t 1/2" mold	Room 3 to	2'8" x 6'8 1/4"	door missing	3" butt (previously)	ı	4 1/2" mold	4 1/2" mold	٤
2'8" x 6'8" 4 panel; top panel; top panel glass 3 1/2" pln but panel knobs; panel 4 1/2" mold plant 4 1/2" plan plant 2'8" x 6'8 3/4" 5 panel 3" pln but putt mortise lock; panel 2" plain plant 4 1/2" mold plant 2'8" x 6'9 1/4" 5 panel 3" pin butt plant mortise lock; plain plant 4 1/2" mold plant 1'11 1/2" x 6'8 1/4" 5 panel 3" pin butt plant mortise lock; plain plant 4 1/2" mold plant 1'11 1/2" x 6'8 1/4" 5 panel 3" pin butt plant mortise lock; plain plant 4 1/2" mold plant	Room 3 to	2'11 3/4" x 6'8 1/2"	passageway	ı	1	4 1/2" mold	4 1/2" mold	٤
2:8" x 6'8 3/4" 5 panel 3" pln butt motal knobs 2" plain 4 1/2" mold 2:8" x 6'9 1/4" 5 panel 3" pin butt mortise lock; 4 1/2" mold 4 1/2" mold 1:11 1/2" x 6'8 1/4" 5 panel 3" pin butt mortise lock; 4 1/2" mold 4 1/2" mold 1:11 1/2" x 6'8 1/4" 5 panel 3" pin butt metal knobs	Room 4 to Exterior	2:8" x 6'8"	4 panel; top panel glass	3 1/2" pin butt	mortise lock; metal knobs; sliding bolt	4 1/2" mold	4 1/2" plain boards	٤
2'8" x 6'9 1/4" 5 panel 3" pin but mortise lock; 4 1/2" mold 4 1/2" mold 1'11 1/2" x 6'8 1/4" 5 panel 3" pin but mortise lock; 4 1/2" mold 4 1/2" mold metal knobs metal knobs	Room 5 to Room 6	2'8" x 6'8 3/4"	5 panel	3" pin butt (modern)	mortise lock; metal knobs	2" plain boards	plom "2/1 #	Ē
III 1/2" x 6'8 1/4" 5 panel 3" pin butt mortise lock; 4 1/2" mold 4 1/2" mold metal knobs	Room 6 to Room 7	2'8" x 6'9 1/4"	5 panel	3" pin butt (modern)	mortise lock; knobs missing	4 1/2" mold	4 1/2" mold	Ę
	Room 7 to Closet	1111 1/2" x 6'8 1/4"	5 panel	3" pin butt	mortise lock; metal knobs	4 1/2" mold	4 1/2" mold	٤

TABLE

Tract 1507 (parsonage): Window Details

Position*	Style	Opening	Size of Pane	Number of Panes	Type of	Interior Surround Trim	Exterior Surround Trim
SOUTHEAST WALL Left to right	double hung	28" x 66"	24" x 30"	1/1	lugsill	4 1/2" mold	4 1/2" plain boards; addi- tional cornice header
	double hung	28" × 66"	24" x 30"	1/1	lugsill	blom "Z/1 4	4 1/2" pfain boards; addi- tional comice header
SOUTHWEST WALL Left to right	double hung	28 1/4" × 54"	24 1/8" x 24 1/8"	1/1	lugsill	4 1/2" mold	4 1/2" plain boards; addi- tional cornice header
	double hung	28" × 66"	24" × 30"	1/1	lugsill	4 1/2" mold	4 1/2" plain boards; addi- tional cornice header
	double hung	28" × 66"	24" × 30"	<u> </u>	lugsill	4 1/2" mold	4 1/2" plain boards; addi- tional cornice header
NORTHWEST WALL Left to right	single sash 28" (swings inward and up on 2 1/2" butt hinges)	. 28" x 29 1/4" J 1ges)	24" × 24"	-	logsill	u" plain board jambs; u 1/2 plain boards	6 1/2" plain Boards

Posltion	Style	Opening	Size of Pane	Number of Panes	Type of Sin	Interior Surround Trim	Exterior Surround Trim
NORTHWEST WALL (cont. doubl	(cont.) double hung	28 1/4"× 54"	24 1/8" × 24 1/8"	1/1	lugsill	4 I/2" mold	4 1/2" plain boards; addi- tional cornice header
	double hung	28 1/4" × 54"	24 1/8" x 24 1/8"	<u>.</u>	lugsill	4 1/2" mold	4 1/2" plain boards; addi- tional cornice header
NORTHEAST WALL Left to right	double hung (Figure 74)	28" × 66"	24" × 30"	1/1	lugsill	4 1/2" mold	boards; addi- tional cornice
	double hung (Figure 74)	28" × 66"	24" × 30"	1/1	lugsill	4 1/2" mold	# 1/2" plain boards; addi- tional comice header
	double hung (Figure 74)	28" x 66"	24" × 30"	1/3	lugsill	4 1/2" mold	4 1/2" plain boards; addi- tional cornice header
	single sash	35 1/2" x 31 3/4"	10"× 14"	•	lugsil!	4 1/2" plain boards	& 1/2" plain boards jambs; 1" plain board header
	single sash	35 1/2" × 31 3/6"	10" × 14"	v c	lugsill	4 1/2" plain boards	4 1/2" plain beards jambs; 1 1/2" board header

able (cont.)

Baseboard: 5 1/2" plain board with 1 3/4" ogee cap molding; quarter round shoe; painted white.

Heating: gas connection along northwest wall.

Fireplace: none. Plumbing: none.

Lighting and Electricity: central ceiling fixture; switch adjacent to door on southeast wall; duplex outlets on southwest wall and in floor adjacent to northeast wall.

Interior Description: Room 2

Function: Unknown.

Dimensions: 12'3" x 14'1"; 9' ceiling. Wallcovering: plaster; painted yellow.

Floorcovering: 9" tile blocks.

Ceiling: I'accoustical tile; cove molding around edges of ceiling.

Baseboard: 5 1/2" plain board with 1 3/4" ogee cap molding; quarter round shoe; painted white.

Heating: gas connection at southeast end of fireplace; fireplace; stove connection above fireplace.

Fireplace: brick; coal burning grate; 1'3" x 3'9" concrete hearth; 1'10" wide x 2'4" high x 8" deep firebox; wooden mantle.

Plumbing: none.

Lighting and Electricity: central ceiling fixture; switch on southeast wall adjacent to pr; duplex outlet on northwest wall.

Interior Description: Room 3

Function: hallway.

Dimensions: 32 1/4" x 4'3"; 92" ceiling. Wallcovering: plaster; painted cream.

Floorcovering: 9" tile blocks. Ceiling: plaster; painted white.

Baseboard: 5 1/2" plain board with 1 3/4" ogee cap molding; quarter round shoe; painted white.

Heating: none.

Fireplace: none.

Plumbing: none.

Lighting and Electricity: none.

Interior Description: Room 4

Function: kitchen.

Dimensions: 10' x 10'6"; 9'2" ceiling.

Wallcovering: plaster; painted yellow; lower 4'1 1/2" covered with white-painted hardboard scored to simulate 4" tile.

Floorcovering: 9" tile blocks.

Ceiling: 3 1/4" beaded boards with molding around edges of ceiling; attic access in southwest corner (1'x 1'10"); painted white.

maseboard: 5 1/4" plain board with rounded top edge; painted white.

Heating: gas connection on southeast wall.

Fireplace: none.

Plumbing: sink unit toward northwest end of the northeast wall; water heater in southeast corner.

ROANOKE (Roanoke Methodist Protestant Church, Parsonage)
HABS No. WV-209-B (page 7)

Lighting and Electricity: central ceiling fixture; switch on northwest wall adjacent to door; duplex outlets at countertop height on southwest, northwest, northwest and southeast walls and above baseboard on southwest wall.

Interior Description: Room 5

Function: bedroom.

Dimensions: 5'3" x 7'6"; 8'10" ceiling.

Wallcovering: plaster; painted blue; lower 4'l 1/2" covered with white-painted hardboard scored to simulate 4" tile.

Floorcovering: linoleum.

Ceiling: hardboard with cove molding around edges of ceiling; painted white.

Baseboard: 5 1/2" plain board with rounded top edge; painted white.

Heating: gas connection along northwest wall.

Fireplace: none.

Plumbing: lavatory and bathtub along southeast wall; toilet along southwest side of northwest wall.

Lighting and Electricity: central ceiling fixture; switch beneath medicine cabinet which is directly above the lavatory.

Interior Description: Room 6

Function: Unknown.

Dimensions: 10' x 12'5"; 9' ceiling.

Wallcovering: plaster; painted light green.

Floorcovering: 3 1/2" stained tongue and groove pine boards covered with a rug. Ceiling: 1"4" x 28" accoustical tile with cove molding around edges of ceiling.

Baseboard: 6" plain board; quarter round shoe; painted white.

Heating: gas connection along northwest wall.

Fireplace: none. Plumbing: none.

Lighting and Electricity: central ceiling fixture; switch on southeast wall adjacent to door to Room 3; duplex outlet on northwest wall.

Interior Description: Room 7

Function: Unknown.

Dimensions: 12'2" x 12'5"; 9' ceiling.

Wallcovering: plaster; painted light blue.

Floorcovering: 3 1/2" tongue and groove pine boards; dark-stained.

Ceiling: 1'4" x 2'8" accoustical tile with cove molding around edges of ceiling.

Baseboard: 6" plain board; quarter round shoe; painted white. Heating: fireplace; gas connection on southeast side of fireplace.

Fireplace: coal burning grate; 1'10 1/4" wide x 24 1/4" high x 7 1/2" deep firebox; 14" x 37 1/2" concrete hearth; wooden mantle.

Plumbing: none.

Lighting and Electricity: central ceiling fixture; switch on northwest wall of chimney; duplex outlet on southeast wall.

Interior Description: Room 8

Function: Unknown.

Dimensions: 11'10" x 12'1 1/2"; 9' ceiling.

ROANOKE (Roanoke Methodist Protestant Church, Parsonage)
HABS No. WV-209-B (page 8)

Wallovering: plaster; painted lavender.

Floorcovering: 3 1/2" tongue and groove pine boards; dark-stained.

Ceiling: hardboard with cove molding around edges of ceiling; painted white.

Baseboard: 7 3/4" plain board; quarter round shoe; painted white.

Heating: gas connection along northwest wall.

Fireplace: none. Plumbing: none.

Lighting and Electricity: central ceiling flature; switch on northeast wall adjacent to door; duplex outlets on northeast and northwest walls.

Outbuildings: Cellar House

General Description: A modern frame (Room 2) cellar house with a gable roof and a concrete block foundation (Room 1) is situated immediately behind (i.e., northwest of) the Roanoke Methodist Protestant Church parsonage and is offset to the southwest.

Exterior Description

Overall Dimensions: Room 1, 10'8 1/2" x 13'11"; Room 2, 10'8 1/2" x 15'6 1/2".

Foundation: The visible portion of the foundation is composed of eight courses of 8" concrete blocks.

Walls: The walls of Room I are composed of 8" concrete block; Room 2 is of frame construction covered with rolled asphalt siding scored to simulate random stone (the same material used between the wall sills of the parsonage and the ground surface).

Framing: This is composed of 2" x 4" studs on 1'4" centers.

Porch: Nearly opposite the Room 4 to exterior door of the parsonage there is a 3'8 1/2" long x 3'4 1/2" wide deck composed of seven 6 1/2" boards which are painted medium gray and which are carried on wood joists; access to the deck is from a stairway composed of six steps painted medium gray and which have a 42" width x 9 1/2" tread x 8 1/4" rise plus a 6" riser. The deck is supported by four 4" x 4" posts that extend through the porch deck to support a shed roof covered with 20" on center raised seam sheet metal roofing.

Chimneys: none.

Roof: The roof is a medium-pitch gable variety with 10" on center raised seam sheet metal roofing; eaves and raking trim consist of open verges.

Interior Description: Room 1

Function: utility area.

Dimensions: 9'5 1/2" x 12'8 1/2"; 6'11" ceiling. Wallcovering: concrete blocks; unfinished.

Floorcovering: concrete; unpainted.

Ceiling: exposed 2" x 8" floor joists of the second floor on 2' centers; unfinished.

Baseboard: none. Heating: none.

Fireplace: none.

Plumbing: pump and water pressure tank.

Lighting and Electricity: connection for pump.

In rior Description: Room 2

Function: Unknown.

Dimensions: 10' x 14'10 1/2"; 7' ceiling.

TABLE

Tract 1507 (cellar house); Door Details

Position	Opening	Style	Hinge	Latch/Lock	Interior Surround Trim	Exterior Surround Trim	Threshold
Room 1 to Exterior	214" x 67"	hollow core	3 1/4" T-strap	hasp	2" plain boards	2" plain boards	yes
Room 2 to Exterior	2'6" x 6'8"	6 panel (top three of these are vertical glass	3 1/2" pin butt	mortise lock; metal knobs	4 1/2" plain boards	u 1/2" plain boards	٤
Room 2 to Closet	2'8" x 6'8 1/2"	5 panel (same as in dwelling)	3 1/2" pin butt	mortise lock; metai knobs	3" plain boards	ı	2

TABLE
Tract 1307 (cellar house): Window Details

Position	Style	Opening	Size of Pane	Number of Panes	Type of Sill	Interior Surround Trim	Exterior Surround Trim
SOUTHWEST WALL First Floor	single sash	14" × 29 1/2"	9" × 26"	~	slip	ŧ	F jambs; \$ 1/2" plain boards
Second Floor	double hung	28 1/4" x 54"	24 1/2" × 24"	<i>1</i> /1	lug	4 1/2" plain boards	4 1/2" plain boards
NORTHWEST WALL Second Floor	double hung	28 1/4" x 54"	7 3/4" x 24" (upper) 28 1/4" x 24" (lower)	3/1	log g	4 1/2" plain boards	4 1/2" plain boards

ROANOKE (Roanoke Methodist Protestant Chuch, Parsonage) HABS No. WV-209-B (page 11)

Wallcovering: drywall; painted light green. Floorcovering: 5" pine boards; unpainted.

Ceiling: drywall; painted white.

Baseboard: 4 1/2" plain board; painted white.

Heating: none. Fireplace: none. Plumbing: none.

Lighting and Electricity: central ceiling fixture with pullcord.

Site:

General Setting and Orientation: The Roanoke Methodist Protestant Church parsonage is located on the northwest side of West Virginia County Route 23/5 (the old Weston and Gauley Bridge Turnpike) between the Methodist Church on the northeast and the former Dr. M. E. Whelan property on the southwest.

The structure sits back from the road ca. 34'.

Historic Landscape Design: A walnut (Juglans sp.) tree stands northwest of the cellar house, while a single rose (Rosa sp.) bush is found at the south corner of the property. A partial sandstone walkway (2'4" wide) leads from near the road to the front porch (i.e., southeast elevation), and another similar walkway (ca. 3' wide) leads from the rear porch (i.e., northwest elevation) to the front door (i.e., southeast elevation) of the adjacent church.




Perspective control photograph of the southeast elevation of the Roanoke hodist Protestant Church parsonage in 1981. Note church at right.



Perspective control photograph of the southeast and southwest elevations of the Roanoke Methodist Protestant Church parsonage in 1981. Note cellar house at left.

ROANOKE (Roanoke Methodist Protestant Church, Parsonage)
HABS No. WV-209-B (page 13)



Perspective control photograph of the southwest elevation of the Roanoke Methodist Protestant Church parsonage in 1981. Note cellar house at left and church in the background.



Perspective control photograph of the southwest and a portion of the northwest elevations of the Roanoke Methodist Protestant Church parsonage in 1981. At left is the cellar house on the same tract.

ROANOKE (Roanoke Methodist Protestant Church, Parsonage) HABS No. WV-209-B (page 14)



Perspective control photograph of the northwest elevation of the Roanoke Methodist Protestant Church parsonage in 1981. Note the exterior steps to the second or of the cellar house.



Perspective control photograph of the northwest and northeast elevations of the Roanoke Methodist Protestant Church parsonage in 1981. Note cellar house at right.

ROANOKE (Roanoke Methodist Protestant Church, Parsonage) HABS No. WV-209-B (page 15)



Porch attached to the northwest elevation of the Roanoke Methodist Protestant Church and the cellar house as they appeared in 1981.



Perspective control photograph of the northeast elevation of the Roanoke Methodist Protestant Church parsonage in 1981.

ROANOKE (Roanoke Methodist Protestant Church, Parsonage) HABS No. WV-209-B (page 16)




Perspective control photograph of the northeast and southeast elevations of the Roanoke Methodist Protestant Church parsonage in 1981. The porch attached to the southeast elevation is clearly visible, and it fronts on the old Weston and Gauley Bridge hpike (County Route 23/5).




Close-up of porch attached to the southeast elevation of the Roanoke Methodist Protestant Church parsonage in 1981. Note piers and steps as well as details of roof construction.

ROANOKE (Roanoke Methodist Protestant Church, Parsonage)
HABS No. WV-209-B (page 17)




Close-up of corner boards and German cove siding at the east corner of the Roanoke Methodist Protestant Church parsonage in 1981. Note the eaves and the gable bracket detail which is typical for this structure.



Close-up of the fireplace in Room 2 of the Roanoke Methodist Protestant Church parsonage in 1981. Note simple mantle,

Room 2 to Room 7 is visible at right.

ROANOKE (Roanoke Methodist Protestant Church, Parsonage) HABS No. WV-209-B (page 18)




Close-up of the fireplace in Room 7 of the Roanoke Methodist Protestant Church parsonage in 1981. Note simple mantle and gas pipe at bottom right.




Close-up of a typical double hung sash window in the Roanoke Methodist Protestant Church parsonage in 1981. This window is in the northeast elevation of Room 1.


ROANOKE (Roanoke Methodist Protestant Church, Parsonage) HABS No. WV-209-B (page 19)



Close-up of a typical interior door in the Roanoke Methodist Protestant Church parsonage in 1981.




Close-up of the interior of the front door in the southeast elevation of the Roanoke Methodist Protestant Church parsonage in 1981.



Floor plan of the Roanoke Methodist Protestant Church parsonage as well as first and second floor plans of the cellar house on the tract.

ROANOKE (Foanoke Methodist Protestant


Church, Parsonage)
HABS No. WV-209-B (page 21)



SOUTHEAST ELEVATION

Southeast elevation of the Roanoke Methodist Protestant Church parsonage.


ROAMOKE (Roanoke Methodist Protestant Church, Parsonage) HABS No. WV-209-B (page 22)



SOUTHWEST ELEVATION

Southwest elevation of the Roanoke Methodist Protestant Church parsonage.


ROANOKE (Roanoke Methodist Protestant Church, Parsonage)
HABS No. WV-209-B (page 23)



NORTHWEST ELEVATION


Northwest elevation of the Roanoke Methodist Protestant Church parsonage.

ROANOKE (Roanoke Methodist Protestant Church, Parsonage) HABS No. WV-209-B (page 24)




NORTHEAST ELEVATION

Northeast elevation of the Roanoke Methodist Protestant Church parsonage.



Longitudinal section (A-A) through the Roanoke Methodist Protestant Church parsonage.



SOUTHEAST ELEVATION CELLER HOUSE

NORTHWEST ELEVATION CELLER HOUSE

Northwest and southeast elevations of the Roanoke Methodist Protestant Church parsonage cellar house.